



**HAL**  
open science

## European and International validation of 15 main reference methods in the microbiology of the food chain

Alexandre Leclercq, Gwenola Hardouin, Bertrand Lombard

### ► To cite this version:

Alexandre Leclercq, Gwenola Hardouin, Bertrand Lombard. European and International validation of 15 main reference methods in the microbiology of the food chain. *International Journal of Food Microbiology*, 2019, 288, pp.1-2. 10.1016/j.ijfoodmicro.2018.10.024 . pasteur-02586139

**HAL Id: pasteur-02586139**

**<https://pasteur.hal.science/pasteur-02586139v1>**

Submitted on 27 May 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - ShareAlike 4.0 International License

1 **Editorial**

2

3 **European and International validation of 15 main reference methods**  
4 **in the microbiology of the food chain**

5

6 A large amount of qualitative and quantitative analytical results are produced internationally on a  
7 daily basis by laboratories involved in the microbiological testing of the food chain. These results are  
8 used by food business operators and risk managers to ensure food safety for consumers and fair  
9 trade of goods. To avoid the use of multiple methods for the same target, standardization bodies are  
10 developing and validating harmonised reference methods. Moreover, with quality management and  
11 accreditation of testing laboratories, it is widely accepted that only validated methods should be  
12 used to meet the customers' need of reliable results.

13 At international level, it is the task of the Sub-Committee 9 *Microbiology* of Technical Committee 34  
14 *Food products* of ISO, the International Organization for Standardization (ISO/TC 34/SC 9). At regional  
15 level in Europe, Working Group 6 *Microbiology of the food chain* of the Technical Committee 275  
16 *Food analyses - Horizontal methods* of CEN, the European Committee for Standardisation (CEN/TC  
17 275/WG 6) is entrusted to this task (Leclercq et al., 2015). These two structures develop, validate and  
18 standardize common reference methods under the CEN/ISO collaboration Vienna agreement. Until  
19 1996, standardized reference methods were mainly based on recognized experts' opinion or  
20 "historically proven" methodologies without performance characteristics derived from proper  
21 interlaboratory studies. The current policy of ISO/TC 34/SC 9 and CEN/TC 275/WG 6 requires a full  
22 validation of reference methods based on collaborative studies for inclusion of resulting performance  
23 characteristics in CEN/ISO standards (Anonymous, 2016c).

24 In order to include performance characteristics in CEN/ISO standardized reference methods, a first  
25 European project, Project SMT4-CT96-2098 financed by European Commission under the fourth  
26 Framework Standards, Measurements and Testing Program (SMT4) was conducted between 1997  
27 and 2000 to determine the performance characteristics (repeatability and reproducibility of  
28 quantitative methods or sensitivity, specificity, accordance and concordance of qualitative methods)  
29 of six CEN/ISO reference methods (De Buyser et al., 2003; Lahellec, 1998; Lombard et al., 2005;  
30 Schulten et al., 2000; Scotter, Langton, Lombard, Lahellec, et al., 2001; Scotter, Langton, Lombard,  
31 Schulten, et al., 2001). These standardized methods concerned *Bacillus cereus* enumeration (EN ISO  
32 7932:2004), *Listeria monocytogenes* detection and enumeration (EN ISO 11290-1:1996 and EN ISO  
33 11290-2:1998), coagulase positive staphylococci enumeration (EN ISO 6888-1:1999 and EN ISO 6888-  
34 2:1999), *Clostridium perfringens* enumeration (EN ISO 7937:2004) and *Salmonella* detection (EN ISO  
35 6579:2002) (Anonymous, 1996, 1998, 1999a, b, 2002, 2004a, b). The determined performance  
36 characteristics have been included in the respective CEN/ISO Standards. They have allowed to (i) risk  
37 managers to know the performance of the methods that are used in official controls to verify  
38 conformity of foodstuffs to legal microbiological criteria, (ii) food operators to rely on methods used  
39 by food testing laboratories and fit for their purpose, (iii) food testing laboratories to verify their  
40 compliance to the method's performance characteristics in the frame of their EN ISO 17025  
41 accreditation (Anonymous, 2005b), and (iv) validation/certification bodies to validate alternative  
42 proprietary methods against these reference methods, according to EN ISO 16140 and since 2016, EN  
43 ISO 16140-2 (Anonymous, 2003, 2016b).

44 Further to the validation of these first 6 standardized reference methods and for similar purposes,  
45 European Commission signed a specific grant agreement in December 2010 with CEN (known as CEN  
46 Mandate M/381) to finance the validation and standardization (or revision) of 15 methods for the  
47 main micro-organisms or their toxins in the field of food chain microbiology. These validations were  
48 in particular necessary to correctly set and implement microbiological criteria at European level,  
49 either already included in Commission Regulation (EC) No 2073/2005 (Anonymous, 2005a), or to be

50 possibly included at a later stage in future amendments to this regulation (i.e. Norovirus, Hepatitis A,  
51 *Bacillus cereus* toxins). The 15 validation trials were carried out between 2012 and 2017 by a total of  
52 150 laboratories in 35 countries with a budget of 3120000 euros, representing the largest worldwide  
53 validation effort of standardized methods in microbiology of the food chain.

54 In this special issue, the detailed validation studies of each reference method are described in  
55 separate articles, except for the reference method for detection of staphylococcal enterotoxins. An  
56 harmonized experimental design for the organization of collaborative studies has been followed  
57 (Anonymous, 2005c, 2010, 2014). The 15 reference methods which were validated are mostly  
58 microbiological methods, except two chemical methods, for quantification of histamine and *Bacillus*  
59 *cereus* toxins (cereulide) and one biochemical method, for detection of staphylococcal enterotoxins.  
60 Thus, two statistical approaches were used for the determination of performance characteristics: an  
61 approach designed for microbiological analysis and derived from EN ISO 16140-2 (Anonymous,  
62 2016a, b) and an approach more suited for chemical methods, derived from ISO 5725-2 (Anonymous,  
63 1994).

64

65 Alexandre Leclercq\*, Convenor of CEN TC275/WG6, Institut Pasteur, Biology of Infection Unit,  
66 National Reference Centre and WHO Collaborating Centre for *Listeria*, Paris, France.

67 Gwenola Hardouin, Secretary of CEN/TC 275/WG 6 & ISO/TC 34/SC 9, AFNOR, Saint-Denis, France.

68 Bertrand Lombard, Chairman of ISO/TC 34/SC 9 (formerly), French Agency for Food, Environmental,  
69 Occupational Health & Safety (ANSES), Laboratory for Food Safety, Maisons-Alfort, France

70

71 \*Corresponding associate editor. Tel. +33(0)140613190. Fax: +33(0)140613567. Email:  
72 alexlec@pasteur.fr

73

74 **Acknowledgments**

75

76 The European and international validation of 15 main reference methods in the microbiology of the  
77 food chain was carried out under the framework of European Mandate No. M381 of DG SANTE and  
78 DG GROW (European Commission) and was allowed by the participation and coordination of 150  
79 laboratories in the method characterisation and /or interlaboratory study.

80

81 **Reference**

82 Anonymous, 1994. EN ISO 5725-2: Accuracy (trueness and precision) of measurement methods and  
83 results -- Part 2: Basic method for the determination of repeatability and reproducibility of a  
84 standard measurement method. International Organization for Standardization, Geneva.

85 Anonymous, 1996. EN ISO 11290-1:1996. Microbiology of food and animal feeding stuffs -- Horizontal  
86 method for the detection and enumeration of *Listeria monocytogenes* -- Part 1: Detection method.  
87 International Organization for Standardization, Geneva, Switzerland.

88 Anonymous, 1998. EN ISO 11290-2:1998. Microbiology of food and animal feeding stuffs -- Horizontal  
89 method for the detection and enumeration of *Listeria monocytogenes* -- Part 2: Enumeration  
90 method. International Organization for Standardization, Geneva, Switzerland.

91 Anonymous, 1999a. EN ISO 6888-1:1999. Microbiology of food and animal feeding stuffs -- Horizontal  
92 method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other  
93 species) -- Part 1: Technique using Baird-Parker agar medium. International Organization for  
94 Standardization, Geneva, Switzerland.

95 Anonymous, 1999b. EN ISO 6888-2:1999. Microbiology of food and animal feeding stuffs -- Horizontal  
96 method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other  
97 species) -- Part 2: Technique using rabbit plasma fibrinogen agar medium. International organization  
98 for Standardization, Geneva, Switzerland.

99 Anonymous, 2002. EN ISO 6579:2002. Microbiology of food and animal feeding stuffs -- Horizontal  
100 method for the detection of *Salmonella* spp. International Organization for Standardization, Geneva,  
101 Switzerland.

102 Anonymous, 2003. EN ISO 16140:2003. Microbiology of food and animal feeding stuffs - Protocol for  
103 the validation of alternative methods. International Organization for Standardization, Geneva,  
104 Switzerland.

105 Anonymous, 2004a. EN ISO 7932:2004. Microbiology of food and animal feeding stuffs -- Horizontal  
106 method for the enumeration of presumptive *Bacillus cereus* -- Colony-count technique at 30 degrees  
107 C. International Organization for Standardization, Geneva, Switzerland.

108 Anonymous, 2004b. EN ISO 7937:2004. Microbiology of food and animal feeding stuffs -- Horizontal  
109 method for the enumeration of *Clostridium perfringens* -- Colony-count technique. International  
110 Organization for Standardization, Geneva, Switzerland.

111 Anonymous, 2005a. Commission Regulation (EC) No 2073/2005 of 15 November 2005 on  
112 microbiological criteria for foodstuffs. Official Journal of the European Union of 22/12/2005. L338  
113 (2005), pp. 1-26.

114 Anonymous, 2005b. EN ISO 17025: 2005. General requirements for the competence of testing and  
115 calibration laboratories. International Organization for Standardization.

116 Anonymous, 2005c. ISO 13528: 2005. Statistical methods for use in proficiency testing by  
117 interlaboratory comparison. International Sandardization Organization, Geneva, Switzerland.

118 Anonymous, 2010. EN ISO 17043: 201. Conformity assessment -- General requirements for  
119 proficiency testing. International Organization for Standardization, Geneva, Switzerland.

120 Anonymous, 2014. CEN/TC 275/ WG6/Mandate M/381 Document Number N 20. Evaluation and  
121 presentation of validation data. AFNOR, Saint-Denis, France.

122 Anonymous, 2016a. EN ISO 16140-1: 2016. Microbiology of the food chain -- Method validation --  
123 Part 1: Vocabulary. International Organization for standardization, Geneva, Switzerland.

124 Anonymous, 2016b. EN ISO 16140-2: 2016. Microbiology of the food chain -- Method validation --  
125 Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method.  
126 International Organization for standardization, Geneva, Switzerland.

127 Anonymous, 2016c. EN ISO 17468: Microbiology of the food chain — Technical requirements and  
128 guidance on establishment or revision of a standardized reference method. International  
129 Organization for standardization, Geneva, Switzerland.

130 De Buyser, M.L., Lombard, B., Schulten, S.M., In't Veld, P.H., Scotter, S.L., Rollier, P., Lahellec, C.,  
131 2003. Validation of EN ISO standard methods 6888 Part 1 and Part 2: 1999--enumeration of  
132 coagulase-positive staphylococci in foods. *Int J Food Microbiol* 83, 185-194.

133 Lahellec, C., 1998. Development of standard methods with special reference to Europe. *Int J Food*  
134 *Microbiol* 45, 13-16.

135 Leclercq, A., Hardouin, H., Lombard, B., 2015. Chapter 5 - CEN/ISO standards for both culture and  
136 molecular methods, in: Cook, N., D'Agostino, M., Thompson, K.C. (Eds.), *Molecular Microbial*  
137 *Diagnostic Methods: Pathways to Implementation for the Food and Water Industries*. Elsevier,  
138 Academic Press, London, United Lingdom, pp. 79-106.

139 Lombard, B., Cornu, M., Lahellec, C., Feinberg, M.H., 2005. Experimental evaluation of different  
140 precision criteria applicable to microbiological counting methods. *J AOAC Int* 88, 830-841.

141 Schulten, S.M., In't Veld, P.H., Nagelkerke, N., Scotter, S.L., De Buyser, M.L., Rollier, P., Lahellec, C.,  
142 2000. Evaluation of ISO 7932 standard for the enumeration of *Bacillus cereus* in foods. *Int. J. Food*  
143 *Microbiol.* 57.

144 Scotter, S.L., Langton, S., Lombard, B., Lahellec, C., Schulten, S., Nagelkerke, N., in't Veld, P.H., Rollier,  
145 P., 2001. Validation of ISO method 11290 part 2. Enumeration of *Listeria monocytogenes* in foods. *Int*  
146 *J Food Microbiol* 70, 121-129.

147 Scotter, S.L., Langton, S., Lombard, B., Schulten, S., Nagelkerke, N., In't Veld, P.H., Rollier, P., Lahellec,  
148 C., 2001. Validation of ISO method 11290 part 1--Detection of *Listeria monocytogenes* in foods. *Int J*  
149 *Food Microbiol* 64, 295-306.